



TUBI IDRAULICI

disponibili rotoli da 100 mt.

Lunghezze
minime:
30/60 mt.



Ø int. Pollici	AGRI 1SN-R1AT				AGRI 2SN-R2AT				TEKNO 1SN-R1AT				TEKNO 2SN-R2AT			
	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
3/16"									11,5	250	TH1SN03	8,522	13,1	415	TH2SN03	11,537
1/4"	13,1	225	TH1SN04AGRI	6,494	14,6	400	TH2SN04AGRI	8,096	13,1	225	TH1SN04	7,861	14,6	400	TH2SN04	9,915
5/16"	14,7	215	TH1SN05AGRI	7,638	16,3	350	TH2SN05AGRI	8,681	14,7	215	TH1SN05	8,522	16,3	350	TH2SN05	10,812
3/8"	17,1	180	TH1SN06AGRI	7,950	18,7	330	TH2SN06AGRI	9,476	17,1	180	TH1SN06	9,006	18,7	330	TH2SN06	12,046
1/2"	20,2	160	TH1SN08AGRI	9,114	21,8	275	TH2SN08AGRI	10,933	20,2	160	TH1SN08	10,157	21,9	275	TH2SN08	13,515
5/8"	23,4	130	TH1SN10AGRI	11,836	25,0	250	TH2SN10AGRI	14,819	23,4	130	TH1SN10	13,032	25,0	250	TH2SN10	16,714
3/4"	27,4	105	TH1SN12AGRI	13,598	29,0	215	TH2SN12AGRI	16,409	27,4	105	TH1SN12	14,742	29,2	215	TH2SN12	19,125
1"	35,3	88	TH1SN16AGRI	18,826	36,9	165	TH2SN16AGRI	24,931	35,3	88	TH1SN16	20,486	37,1	165	TH2SN16	27,672
1.1/4"									42,9	63	TH1SN20	30,401	46,7	125	TH2SN20	41,601
1.1/2"									50,1	50	TH1SN24	40,558	53,8	100	TH2SN24	52,139
2"									63,4	40	TH1SN32	61,444	66,5	90	TH2SN32	90,115

Lunghezze
minime:
30/60 mt.



Ø int. Pollici	TEKNO 1ST-R1A				TEKNO 2ST-R2A				TEKNO 1SC COMPATTO				TEKNO 2SC COMPATTO			
	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
3/16"	12,7	250	TH1ST03	11,124	15,9	415	TH2ST03	12,574								
1/4"	15,9	225	TH1ST04	9,508	17,5	400	TH2ST04	11,423	12,2	225	TH1SC04	7,861	13,3	400	TH2SC04	9,915
5/16"	17,5	215	TH1ST05	10,558	19,1	350	TH2ST05	12,459	13,5	215	TH1SC05	8,522	14,9	350	TH2SC05	10,812
3/8"	19,8	180	TH1ST06	11,658	21,4	300	TH2ST06	13,553	15,6	180	TH1SC06	9,006	17,0	330	TH2SC06	12,046
1/2"	23,0	160	TH1ST08	12,784	24,6	275	TH2ST08	15,200	19,1	160	TH1SC08	10,157	20,4	275	TH2SC08	13,515
5/8"	26,2	130	TH1ST10	15,824	27,8	250	TH2ST10	19,398	22,4	130	TH1SC10	13,032	23,8	250	TH2SC10	16,714
3/4"	30,2	105	TH1ST12	18,380	31,8	215	TH2ST12	21,942	26,0	105	TH1SC12	14,742	27,5	215	TH2SC12	19,125
1"	38,1	88	TH1ST16	25,936	39,7	165	TH2ST16	31,736	33,4	88	TH1SC16	20,486	35,3	165	TH2SC16	27,672
1.1/4"	46,0	63	TH1ST20	37,728	50,8	125	TH2ST20	50,804	40,9	63	TH1SC20	30,401	43,1	125	TH2SC20	41,601
1.1/2"	52,4	50	TH1ST24	51,611	57,2	100	TH2ST24	67,448	47,5	50	TH1SC24	40,558	49,8	100	TH2SC24	52,139
2"	66,7	40	TH1ST32	85,631	69,8	90	TH2ST32	108,851	60,5	40	TH1SC32	61,444	63,4	90	TH2SC32	90,115

Lunghezze
minime:
30/60 mt.



Ø int. Pollici	TEKNO 1SC COMPATTO PLUS				TEKNO 2SC COMPATTO PLUS				TEKNOMASTER				SLIM			
	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
3/16"																
1/4"	12,2	290	TH1SC04P	8,650	13,3	420	TH2SC04P	10,907	14,4	490	TM2SN04	11,880	11,5	125	TH1SN04SL	9,101
5/16"	13,5	255	TH1SC05P	9,381	14,9	400	TH2SC05P	11,893	16,0	480	TM2SN05	12,510	13,1	125	TH1SN05SL	10,303
3/8"	15,6	230	TH1SC06P	9,922	17,0	350	TH2SC06P	12,650	18,5	400	TM2SN06	14,418	14,8	125	TH1SN06SL	11,130
1/2"	19,1	200	TH1SC08P	11,162	20,4	310	TH2SC08P	14,196	22,1	360	TM2SN08	16,218	18,5	125	TH1SN08SL	13,038
5/8"	22,4	160	TH1SC10P	14,342	23,8	280	TH2SC10P	17,554	25,2	350	TM2SN10	20,047	21,4	125	TH1SN10SL	16,294
3/4"	26,0	150	TH1SC12P	16,218	27,5	270	TH2SC12P	20,403	29,1	320	TM2SN12	24,181	25,0	125	TH1SN12SL	18,762
1"	33,4	110	TH1SC16P	22,546	35,3	210	TH2SC16P	30,426	37,5	250	TM2SN16	34,649	31,4	125	TH1SN16SL	27,539
1.1/4"	40,9	100	TH1SC20P	33,454	43,1	170	TH2SC20P	45,728								

Lunghezze
minime:
20/40 mt.



Ø int. Pollici	TEKNO 1TE/R6 GOMMA + 1 TRECCIA TESSILE				TEKNO 3TE GOMMA + 2 TRECCIE TESSILI			
	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
3/16"	10,5	35	TH1TER603	5,851	12,4	160	TH3TE03	11,194
1/4"	12,6	28	TH1TER604	5,851	14,8	145	TH3TE04	11,194
5/16"	14,0	28	TH1TER605	6,220	17,5	130	TH3TE05	12,466
3/8"	15,8	28	TH1TER606	7,314	19,1	110	TH3TE06	12,974
1/2"	19,4	28	TH1TER608	9,292	22,3	93	TH3TE08	15,041
5/8"	23,0	24	TH1TER610	10,971	26,5	80	TH3TE10	18,635
3/4"	26,0	21	TH1TER612	13,897	29,6	70	TH3TE12	22,177
1"	33,0	20	TH1TER616	19,016	36,5	55	TH3TE16	34,128
1.1/4"					42,3	45	TH3TE20	42,453
1.1/2"					49,6	40	TH3TE24	-

TUBI IDRAULICI

disponibili rotoli da 100 mt.

 Lunghezze
minime:
10/20/30 mt.


Ø int.	TEKNOSPIR 4SP-R9R				TEKNOSPIR 4SH				TEKNOSPIR R13				TEKNOSPIR R15				
	Pollici	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
1/4"	17,7	500	TS4SP04	27,310													
3/8"	21,1	460	TS4SP06	28,098													
1/2"	23,8	425	TS4SP08	30,312													
5/8"	27,6	400	TS4SP10	33,040	28,5	450	TS4SH10	27,030					28,5	420	TSR1510	69,769	
3/4"	32,0	380	TS4SP12	37,441	31,2	420	TS4SH12	42,033	32,0	350	TSR1312	47,255	31,2	420	TSR1512	67,034	
1"	39,1	320	TS4SP16	46,205	38,3	385	TS4SH16	51,745	39,0	350	TSR1316	57,634	38,1	420	TSR1516	82,235	
1.1/4"					45,4	350	TS4SH20	82,337	49,5	350	TSR1320	90,248	49,5	420	TSR1520	137,376	
1.1/2"					53,0	300	TS4SH24	105,150	57,8	350	TSR1324	130,634	57,6	420	TSR1524	155,502	
2"									71,6	350	TSR1332	256,054	72	420	TSR1532	302,545	

 Lunghezze
minime:
10/20/30 mt.


Ø int.	TEKNOBLAST GOMMA + 4 SPIRALII ACCIAIO			
	Pollici	Ø est.	Pr. Es.	Codice
1/2"	23,9	750	TB4SP08	41,340
1/2"	24,5	1100	TB4SP08P	53,170
3/4"	32,0	1000	TB4SP12P	79,157
1"	38,1	700	TB4SP16P	98,580

 Lunghezze
minime:
30/60 mt.


Ø int.	VULCAN 1 - TUBO COMPRESSORE GOMMA + 1 TRECCIA ACCIAIO			
	Pollici	Ø est.	Pr. Es.	Codice
1/4"	13,5	225	TH1SN04V1	15,328
5/16"	15,1	215	TH1SN05V1	16,282
3/8"	17,5	180	TH1SN06V1	17,935
1/2"	20,6	160	TH1SN08V1	21,560
5/8"	23,8	130	TH1SN10V1	26,903
3/4"	27,9	105	TH1SN12V1	31,927
1"	36	88	TH1SN16V1	49,608
1.1/4"	43,4	63	TH1SN20V1	65,826
1.1/2"	50,1	50	TH1SN24V1	75,938
2"	63,5	40	TH1SN32V1	100,043

 Lunghezze
minime:
20/40 mt.


Ø int.	TEKNO R7 POLIESTERE + 2 FIBRE POLIESTERE				TEKNO FHL PTFE + 1 TRECCIA ACCIAIO				TEKNO MTH1 POLIESTERE + 1 TRECCIA ACCIAIO				
	Pollici	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.	Ø est.	Pr. Es.	Codice	€/ mt.
1/8"						5,9	275	THFHL02	12,644				
3/16"	10,0	210	THR703	5,501	7,4	200	THFHL03	17,255	10,0	325	THMTH103	10,233	
1/4"	11,8	200	THR704	6,703	9,0	175	THFHL04	17,891	11,9	300	THMTH104	10,322	
5/16"	14,3	190	THR705	9,890	10,8	150	THFHL05	21,548	14,0	240	THMTH105	12,211	
3/8"	16,0	175	THR706	10,748	12,4	135	THFHL06	23,850	16,0	225	THMTH106	13,674	
1/2"	20,3	140	THR708	16,218	15,7	120	THFHL08	31,164	19,2	190	THMTH108	18,915	
5/8"	23,5	105	THR710	28,009	19,1	100	THFHL10	49,608	23,3	150	THMTH110	26,992	
3/4"	26,5	90	THR712	31,603	22,2	90	THFHL12	63,842	25,5	130	THMTH112	30,204	
1"	33,6	70	THR716	47,547	29,3	65	THFHL16	80,295	32,5	105	THMTH116	38,860	
1.1/4"									40,0	70	THMTH120	-	

 Lunghezze
minime:
20/40 mt.


Ø int.	TUBO R7 BINATO TESSILE			TUBO MTH1 BINATO METALLICO		
	Pollici	Pr. Es.	Codice	€/ mt.	Pr. Es.	Codice
1/4"	200	THR704B	13,407	300	THMTH104B	20,645
5/16"	190	THR705B	19,780	240	THMTH105B	24,422
3/8"	175	THR706B	21,497	225	THMTH106B	27,348
1/2"	140	THR708B	32,436	190	THMTH108B	37,829



GUAINE DI PROTEZIONE



Ø INT.	PASSO	GUAINA SPIRALE KOVERTEG PSA		
		Lung.	Codice	€ / mt.
6.35	6.35	24	PSA06MP06	3,498
7.5	6.35	24	PSA06MP07	3,880
9.5	6.35	24	PSA06MP09	4,261
12.7	13	24	PSA13MP12	4,706
16	13	24	PSA13MP16	5,152
19	16	24	PSA16MP19	6,487
25.4	16	24	PSA16MP25	9,349
28	16	24	PSA16MP28	10,558
35	17	24	PSA17MP35	12,529
45	20	12	PSA20MP45	15,518
47.5	20	12	PSA20MP47	20,734
65	35	12	PSA35MP65	28,556
80	35	12	PSA35MP80	35,298
90	35	12	PSA35MP90	43,121
100	50	6	PSA50MP100	85,860

LARG. PIATTA	Ø INT.	GUAINA TESSILE IN POLIPROPILENE		
		Lung.	Codice	€ / mt.
30	18	100	TEXS18	2,229
35	20	100	TEXS20	2,320
40	22	100	TEXS22	2,396
45	25	100	TEXS25	3,144
50	28	100	TEXS28	3,221
55	32	100	TEXS32	3,633
60	35	100	TEXS35	4,121
65	38	100	TEXS38	4,213
80	45	100	TEXS45	5,449
90	50	100	TEXS50	5,785
100	55	100	TEXS55	6,197
120	70	100	TEXS70	6,686
150	90	100	TEXS90	16,516

TUBI INDUSTRIA



Ø int.	CARBUPOMP/10NL				
	mm	Ø est.	Pr. Es.	Lung.	Codice
5	12	10	100	CAR10NL5-12	6,436
6	12	10	100	CAR10NL6-12	6,338
7	13	10	100	CAR10NL7-13	6,632
8	15	10	100	CAR10NL8-15	7,262
10	17	10	50	CAR10NL10-17	7,850
13	20	10	50	CAR10NL13-20	10,074
15	23	10	50	CAR10NL15-23	13,334
19	27	10	50	CAR10NL19-27	15,405
20	28	10	50	CAR10NL20-28	17,294
25	35	10	50	CAR10NL25-35	24,640

Ø int.	RADIATORE				
	mm	Ø est.	Pr. Es.	Lung.	Codice
18	24	4	1	RAD18-24	19,732
19	25	4	1	RAD19-25	19,907
20	26	4	1	RAD20-26	20,702
22	28	4	1	RAD22-28	21,513
25	32	4	1	RAD25-32	24,391
28	36	4	1	RAD28-36	27,443
30	38	4	1	RAD30-38	28,541
32	40	4	1	RAD32-40	29,463
35	43	4	1	RAD35-43	30,957
38	46	4	1	RAD38-46	32,738
40	49	4	1	RAD40-49	38,462
42	51	4	1	RAD42-51	39,973
45	54	4	1	RAD45-54	41,435
48	58	4	1	RAD48-58	42,405
50	60	4	1	RAD50-60	46,555
55	65	4	1	RAD55-65	50,435
60	70	4	1	RAD60-70	53,074
65	76	4	1	RAD65-76	59,784
70	81	4	1	RAD70-81	61,056
76	86	4	1	RAD76-86	75,795
80	92	4	1	RAD80-92	86,496
90	102	4	1	RAD90-102	92,109
100	113	4	1	RAD100-113	104,193

Ø int.	SAE/100/R4/FLEX				
	mm.	Ø est.	Pr. Es.	Lung.	Codice
13	23	10	40	HTR4-13-23	31,658
16	26	10	40	HTR4-16-26	32,070
19	29	21	40	HTR4-19-29	24,542
22	32	10	40	HTR4-22-32	35,107
25	35	17	40	HTR4-25-35	27,438
30	41	10	40	HTR4-30-41	34,196
32	43	14	40	HTR4-32-43	35,806
35	46	10	40	HTR4-35-46	37,834
38	49	10	40	HTR4-38-49	41,039
40	52	10	40	HTR4-40-52	43,977
42	54	10	40	HTR4-42-54	56,996
45	57	10	40	HTR4-45-57	46,663
48	60	10	40	HTR4-48-54	60,659
51	63	10	40	HTR4-51-63	49,098
55	67	10	40	HTR4-55-67	69,344
60	74	10	40	HTR4-60-74	76,320
63,5	77	10	40	HTR4-63-77	87,310
70	84	10	40	HTR4-70-84	98,300
76	90	10	40	HTR4-76-90	104,818
80	96	10	40	HTR4-80-96	122,127
90	106	10	40	HTR4-90-106	142,459
102	118	10	40	HTR4-102-118	159,753
102	139	10	40	HTR4-120-139	252,894
127	146	10	40	HTR4-127-146	289,070

Ø int.	CARBOFLEX				
	mm	Ø est.	Pr. Es.	Lung.	Codice
20	30	5	20	CARFLEX20-30	49,799
25	35	5	20	CARFLEX25-35	52,995
30	40	5	20	CARFLEX30-40	63,600
32	42	5	20	CARFLEX32-42	66,128
35	45	5	20	CARFLEX35-45	70,755
38	48	5	20	CARFLEX38-48	74,221
40	50	5	20	CARFLEX40-50	75,477
45	55	5	20	CARFLEX45-55	78,864
51	61	5	20	CARFLEX51-61	94,732
60	70	5	20	CARFLEX60-70	113,494
76	90	5	20	CARFLEX76-90	129,649
90	104	5	20	CARFLEX90-104	143,195



Ø int.	STEAM/CM/210/R - MANDATA VAPORE				
	mm.	Ø est.	Pr. Es.	Lung.	Codice
10	21	17	10/61	HTSTEAM10-21	30,541
13	25	17	61	HTSTEAM13-25	32,461
16	28	17	61	HTSTEAM16-28	35,756
19	32	17	61	HTSTEAM19-32	37,359
25	38	17	61	HTSTEAM25-38	42,014
32	46	17	30,5/61	HTSTEAM32-46	58,410
38	54	17	30,5/61	HTSTEAM38-54	67,658
51	67	17	30,5/61	HTSTEAM51-67	97,372



Ø int.	AIR/20NL				
	mm	Ø est.	Pr. Es.	Lung.	Codice
6	14	20	100	AIR20NL6-14	4,603
8	17	20	100	AIR20NL8-17	5,793
10	19	20	100	AIR20NL10-19	6,716
13	23	20	100	AIR20NL13-23	8,479
16	26	20	80	AIR20NL16-26	10,186
19	30	20	50	AIR20NL19-30	12,859
25	37	20	50	AIR20NL25-37	19,603